



BM100 / 130 / 160 / 190 / 220 / 250

BEAM

LINEAR LIGHT

True to its name, Beam is a solid up/down linear that makes itself known as an intentional object in space. Beam is made using two clean pieces of aluminium – the perfect base for showcasing our beautiful range of powder coats.

MADE IN MELBOURNE, AUSTRALIA

FINISHES

POWDER COAT	● Silver Grey	● Rough Black	● Deep Green	● Bronze	● Iron Grey
	○ Rough White	● Brick Speckle	● Deep Blue	● Sandstone	

SPECIFICATIONS

LEAD-TIME	6 - 8 Weeks	LAMP	CRI 95, Intergrated LED (24V)
FINISH	Aluminium, Powder Coated	POWER/TEMP	20 W/m, 2700k, 3000k (Standard), 4000k
CANOPIY	Black or White. (80mm dia x 38mm H)	OUTPUT	1400 lm/m (Up & Down light available)
FLEX	Black or White. (2 core) Stainless Wire 2m, 3m or 4m lengths.	AVG LIFETIME	50,000 hours
SIZES (mm)	1000, 1300, 1600, 1900, 2200, 2500, 2800, 3000	CONTROL	Remote Driver: Non-Dimmable, Phase Dimmable, Dali Dimmable
IP	IP20		
INSTALLATION	Pendants must be installed and wired by a qualified electrician.	CARE	Ensure the electricity supply is switched off before cleaning. Remove dust with a soft dry cloth. Do not use solvents or abrasive materials when cleaning.
WARRANTY	3 Year Manufactures Warranty		



BEAM

BM100 / BM130 / BM160



Dims: 1000 mm L, 130mm H, 75mm D
Weight: 3.5kg



Dims: 1300 mm L, 130mm H, 75mm D
Weight: 5kg



Dims: 1600 mm L, 130mm H, 75mm D
Weight: 6kg

BEAM

BM190 / BM220 / BM250



Dims: 1900 mm L, 130mm H, 75mm D
Weight: 7.5kg



Dims: 2200 mm L, 130mm H, 75mm D
Weight: 9kg



Dims: 2500 mm L, 130mm H, 75mm D
Weight: 10.5kg