



UFD96 / 126 / 156 / 186 / 216 / 246

UV FOLD / u

LINEAR LIGHT

Aptly named after its distinct folded form, the UV Fold linear comes in the choice of either a U or V profile. During the design process each fixing detail was scrutinised and refined, leaving us with an elegantly resolved form – the perfect surface to showcase our curated range of textured powder coat finishes. The clean aesthetic is designed to seamlessly accommodate a wide range of styles and settings.

MADE IN MELBOURNE, AUSTRALIA

FINISHES

POWDER COAT	● Silver Grey	● Rough Black	● Deep Green	● Bronze	● Iron Grey
	○ Rough White	● Brick Speckle	● Deep Blue	● Sandstone	


SPECIFICATIONS

LEAD-TIME	6 - 8 Weeks	LAMP	CRI 95, Intergrated LED (24V)
FINISH	Aluminium, Powder Coated	POWER/TEMP	20 W/m, 2700k, 3000k (Standard), 4000k
CANOPY	Black or White. (80mm dia x 38mm H)	OUTPUT	1400 lm/m
FLEX	2m, Black or White. (2 core) (Longer available on request)	AVG LIFETIME	50,000 hours
SIZES (mm)	960, 1260, 1560, 1860, 2160, 2460	CONTROL	Remote Driver: Non-Dimmable, Phase Dimmable, Dali Dimmable
NOTE	Enquire For Custom Lengths (Max 5m)		
INSTALLATION	Pendants must be installed and wired by a qualified electrician.	CARE	Ensure the electricity supply is switched off before cleaning. Remove dust with a soft dry cloth. Do not use solvents or abrasive materials when cleaning.
WARRANTY	3 Year Manufactures Warranty		




UV Fold / u


UFD96, UFD126, UFD156



Dims: 960 mm L, 72mm H, 54mm D
Rose: 80mm dia x 38mm H
Weight: 2kg



Dims: 1260 mm L, 72mm H, 54mm D
Rose: 80mm dia x 38mm H
Weight: 2.5kg




Dims: 1560 mm L, 72mm H, 54mm D
Rose: 80mm dia x 38mm H
Weight: 3kg




UV Fold / u


UFD186, UFD216, UFD246



Dims: 1860 mm L, 72mm H, 54mm D
Rose: 80mm dia x 38mm H
Weight: 4kg



Dims: 2160 mm L, 72mm H, 54mm D
Rose: 80mm dia x 38mm H
Weight: 4.5kg



Dims: 2460 mm L, 72mm H, 54mm D
Rose: 80mm dia x 38mm H
Weight: 5kg